

§ Advanced Module Required

‡ STT® or Advanced Module Required

Δ Tandem Controller Required

* Range is limited by power source rating, module rating, or feeder configuration

Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)
All	All	GMAW CV	STD CV		5	Pinch	10 - 45 V
		GMAW Power	Power Mode®		40	Pinch	0.1 - 11 kW
Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)
Steel	0.8 mm	GMAW CV	CV	CO ₂	93	Pinch	75 - 1200 ipm (1.91 - 30.48 m/min)
			Argon Mix	94	75 - 1200 ipm (1.91 - 30.48 m/min)		
		GMAW Pulse	Pulse	Argon Mix	95	UltimArc®	65 - 1200 ipm (1.65 - 30.48 m/min)
			Precision Pulse™	Argon Mix	410		100 - 600 ipm (2.54 - 15.24 m/min)
	0.9 mm	GMAW CV	CV	CO ₂	138	Pinch	50 - 1200 ipm (1.27 - 30.48 m/min)
			Argon Mix	139	50 - 1075 ipm (1.27 - 27.31 m/min)		
		GMAW Pulse	Pulse	Argon Mix	140	UltimArc®	60 - 1075 ipm (1.52 - 27.31 m/min)
			RapidArc®	Argon Mix	141		60 - 1200 ipm (1.52 - 30.48 m/min)
			Precision Pulse™	Argon Mix	411		100 - 600 ipm (2.54 - 15.24 m/min)
			Rapid X™(‡)	Argon Mix	272		75 - 800 ipm (1.91 - 20.32 m/min)
		GMAW STT®	Synergic STT®(‡)	CO ₂	324	UltimArc®, Hot Start	100 - 225 ipm (2.54 - 5.72 m/min)
			Argon Mix	325	100 - 225 ipm (2.54 - 5.72 m/min)		
	NonSynergic STT®(‡)		CO ₂	304	Peak, Background, Tailout, Hot Start		100 - 300 ipm (2.54 - 7.62 m/min)
	1.0 mm	GMAW CV	CV	CO ₂	10	Pinch	50 - 775 ipm (1.27 - 19.69 m/min)
			Argon Mix	11	50 - 610 ipm (1.27 - 15.49 m/min)		
		GMAW Pulse	Pulse	Argon Mix	12	UltimArc®	75 - 590 ipm (1.91 - 14.99 m/min)
			RapidArc®	Argon Mix	13		60 - 825 ipm (1.52 - 20.96 m/min)
			Precision Pulse™	Argon Mix	412		75 - 600 ipm (1.91 - 15.24 m/min)
			Rapid X™(‡)	Argon Mix	273		75 - 800 ipm (1.91 - 20.32 m/min)
		GMAW STT®	Synergic STT®(‡)	CO ₂	326	UltimArc®, Hot Start	90 - 225 ipm (2.29 - 5.72 m/min)
	Argon Mix		327	90 - 225 ipm (2.29 - 5.72 m/min)			
	NonSynergic STT®(‡)		CO ₂	306	Peak, Background, Tailout, Hot Start		90 - 225 ipm (2.29 - 5.72 m/min)
	1.2 mm	GMAW CV	CV	CO ₂	20	Pinch	50 - 540 ipm (1.27 - 13.72 m/min)
			Argon Mix	21	50 - 440 ipm (1.27 - 11.18 m/min)		
		GMAW Pulse	Pulse	Argon Mix	22	UltimArc®	60 - 475 ipm (1.52 - 12.07 m/min)
			RapidArc®	Argon Mix	18		60 - 605 ipm (1.52 - 15.37 m/min)
			Precision Pulse™	Argon Mix	413		75 - 600 ipm (1.91 - 15.24 m/min)
			Rapid X™(‡)	Argon Mix	274		100 - 690 ipm (2.54 - 17.53 m/min)
GMAW STT®		Synergic STT®(‡)	CO ₂	328	UltimArc®, Hot Start	90 - 200 ipm (2.29 - 5.08 m/min)	
	Argon Mix	329	90 - 200 ipm (2.29 - 5.08 m/min)				
	NonSynergic STT®(‡)	CO ₂	308	Peak, Background, Tailout, Hot Start		90 - 225 ipm (2.29 - 5.72 m/min)	
1.4 mm	GMAW CV	CV	CO ₂	24	Pinch	50 - 310 ipm (1.27 - 7.87 m/min)	
		Argon Mix	25	50 - 290 ipm (1.27 - 7.37 m/min)			
	GMAW Pulse	Pulse	Argon Mix	26	UltimArc®	50 - 300 ipm (1.27 - 7.62 m/min)	
RapidArc®	Argon Mix	27	60 - 335 ipm (1.52 - 8.51 m/min)				
Rapid X™(‡)	Argon Mix	275	75 - 395 ipm (1.91 - 10.03 m/min)				
1.6 mm	GMAW CV	CV	Argon Mix	107	Pinch	50 - 225 ipm (1.27 - 5.72 m/min)	
	GMAW Pulse	Pulse	Argon Mix	108	UltimArc®	50 - 255 ipm (1.27 - 6.48 m/min)	
Metal Core	0.9mm	GMAW Rapid Z™	Rapid Z™(§)	Argon Mix	472	UltimArc®	75 - 900 ipm (1.91 - 22.86 m/min)
	1.0mm	GMAW Rapid Z™	Rapid Z™(§)	Argon Mix	473	UltimArc®	70 - 700 ipm (1.78 - 17.78 m/min)
	1.2 mm	GMAW CV	CV	Argon Mix	81	Pinch	50 - 555 ipm (1.27 - 14.1 m/min)
			Pulse	Argon Mix	82		50 - 530 ipm (1.27 - 13.46 m/min)
	1.4 mm	GMAW Pulse	Pulse	Argon Mix	84	UltimArc®	50 - 335 ipm (1.27 - 8.51 m/min)
			Rapid X™(‡)	Argon Mix	294		75 - 700 ipm (1.91 - 17.78 m/min)
	1.6 mm	GMAW CV	CV	Argon Mix	85	Pinch	50 - 310 ipm (1.27 - 7.87 m/min)
			Pulse	Argon Mix	86		50 - 360 ipm (1.27 - 9.14 m/min)
Rapid X™(‡)	Argon Mix	296	75 - 360 ipm (1.91 - 9.14 m/min)				
Stainless Metal Core EC4XX	1.2 mm	GMAW Pulse	Rapid X™(‡)	Argon Mix	290	UltimArc®	75 - 665 ipm (1.91 - 16.89 m/min)

§ Advanced Module Required

Δ Tandem Controller Required

* Range is limited by power source rating, module rating, or feeder configuration

‡ STT® or Advanced Module Required

GMAW	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)
	Stainless	0.8 mm	GMAW CV	CV		Argon Mix	61	Pinch
Ar He CO ₂						63	100 - 1200 ipm (2.54 - 30.48 m/min)	
GMAW Pulse			Pulse		Ar He CO ₂	64	UltimArc®	100 - 1200 ipm (2.54 - 30.48 m/min)
					Argon Mix	66		100 - 1200 ipm (2.54 - 30.48 m/min)
0.9 mm		GMAW CV	CV		Argon Mix	29	Pinch	75 - 1200 ipm (1.91 - 30.48 m/min)
					Ar He CO ₂	30		60 - 1110 ipm (1.52 - 28.19 m/min)
		GMAW Pulse	Pulse		Argon Mix	30	UltimArc®	100 - 600 ipm (2.54 - 15.24 m/min)
					Argon Mix	421		100 - 600 ipm (2.54 - 15.24 m/min)
		GMAW STT®	Synergic STT®(‡)		Argon Mix	364	UltimArc®, Hot Start	100 - 300 ipm (2.54 - 7.62 m/min)
					Ar He CO ₂	365		100 - 250 ipm (2.54 - 6.35 m/min)
GMAW STT®		NonSynergic STT®(‡)		Argon Mix	344	Peak, Background, Tailout, Hot Start	100 - 300 ipm (2.54 - 7.62 m/min)	
				Ar He CO ₂	345		100 - 300 ipm (2.54 - 7.62 m/min)	
1.0 mm		GMAW CV	CV		Argon Mix	31	Pinch	75 - 920 ipm (1.91 - 23.37 m/min)
					Ar He CO ₂	33		75 - 710 ipm (1.91 - 18.03 m/min)
		GMAW Pulse	Pulse		Ar He CO ₂	34	UltimArc®	60 - 835 ipm (1.52 - 21.21 m/min)
					Argon Mix	36		60 - 910 ipm (1.52 - 23.11 m/min)
		GMAW Pulse	Precision Pulse™		Argon Mix	422	UltimArc®	60 - 600 ipm (1.52 - 15.24 m/min)
					Argon Mix	283		100 - 800 ipm (2.54 - 20.32 m/min)
		GMAW STT®	Synergic STT®(‡)		Argon Mix	366	UltimArc®, Hot Start	100 - 300 ipm (2.54 - 7.62 m/min)
					Ar He CO ₂	367		100 - 250 ipm (2.54 - 6.35 m/min)
GMAW STT®	NonSynergic STT®(‡)		Argon Mix	346	Peak, Background, Tailout, Hot Start	100 - 300 ipm (2.54 - 7.62 m/min)		
			Ar He CO ₂	347		100 - 300 ipm (2.54 - 7.62 m/min)		
1.2 mm	GMAW CV	CV		Argon Mix	41	Pinch	75 - 460 ipm (1.91 - 11.68 m/min)	
				Ar He CO ₂	43		75 - 435 ipm (1.91 - 11.05 m/min)	
	GMAW Pulse	Pulse		Ar He CO ₂	44	UltimArc®	50 - 450 ipm (1.27 - 11.43 m/min)	
				Argon Mix	46		50 - 560 ipm (1.27 - 14.22 m/min)	
	GMAW Pulse	Precision Pulse™		Argon Mix	423	UltimArc®	50 - 400 ipm (1.27 - 10.16 m/min)	
				Argon Mix	284		100 - 780 ipm (2.54 - 19.81 m/min)	
	GMAW STT®	Synergic STT®(‡)		Argon Mix	368	UltimArc®, Hot Start	90 - 200 ipm (2.29 - 5.08 m/min)	
				Ar He CO ₂	369		90 - 200 ipm (2.29 - 5.08 m/min)	
GMAW STT®	NonSynergic STT®(‡)		Argon Mix	348	Peak, Background, Tailout, Hot Start	90 - 225 ipm (2.29 - 5.72 m/min)		
			Ar He CO ₂	349		90 - 225 ipm (2.29 - 5.72 m/min)		
1.6 mm	GMAW CV	CV		Argon Mix	51	Pinch	50 - 215 ipm (1.27 - 5.46 m/min)	
	GMAW Pulse	Pulse		Argon Mix	56	UltimArc®	50 - 235 ipm (1.27 - 5.97 m/min)	
SiBr	1.0mm	GMAW Pulse	Pulse		Argon	192	UltimArc®	80 - 775 ipm (2.03 - 19.69 m/min)
	1.2mm	GMAW Pulse	Pulse		Argon	191	UltimArc®	50 - 555 ipm (1.27 - 14.1 m/min)
Cu	1.0mm	GMAW Pulse	Pulse		Argon Helium	198	UltimArc®	75 - 500 ipm (1.91 - 12.7 m/min)
	1.2mm	GMAW Pulse	Pulse		Argon Helium	196	UltimArc®	75 - 500 ipm (1.91 - 12.7 m/min)
NiCr	1.0mm	GMAW Pulse	Pulse		Ar/ Ar He	502	UltimArc®	75 - 800 ipm (1.91 - 20.32 m/min)
	1.2mm	GMAW Pulse	Pulse		Ar/ Ar He	504	UltimArc®	75 - 600 ipm (1.91 - 15.24 m/min)

GMAW	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)
	Aluminum (AlSi)	1.0 mm	GMAW CV	CV		Argon	148	Pinch
Argon						149	125 - 800 ipm (3.18 - 20.32 m/min)	
GMAW Pulse			Pulse		Argon	150	UltimArc®	125 - 800 ipm (3.18 - 20.32 m/min)
					Argon	98		100 - 500 ipm (2.54 - 12.7 m/min)
GMAW AC Pulse		AC Pulse (§)		Argon	392	UltimArc®	125 - 700 ipm (3.18 - 17.78 m/min)	
				Argon	71		125 - 590 ipm (3.18 - 14.99 m/min)	
1.2 mm		GMAW CV	CV		Argon	71	Pinch	125 - 590 ipm (3.18 - 14.99 m/min)
					Argon	72		85 - 600 ipm (2.16 - 15.24 m/min)
		GMAW Pulse	Pulse		Argon	72	UltimArc®	85 - 600 ipm (2.16 - 15.24 m/min)
					Argon	69		85 - 600 ipm (2.16 - 15.24 m/min)
GMAW Pulse		Pulse on Pulse*		Argon	99	Frequency	85 - 500 ipm (2.16 - 12.7 m/min)	
				Argon	393		100 - 500 ipm (2.54 - 12.7 m/min)	
GMAW AC Pulse		AC Pulse (§)		Argon	393	UltimArc®	100 - 500 ipm (2.54 - 12.7 m/min)	
				Argon	73		75 - 340 ipm (1.91 - 8.64 m/min)	
1.6 mm	GMAW CV	CV		Argon	73	Pinch	75 - 340 ipm (1.91 - 8.64 m/min)	
				Argon	74		75 - 350 ipm (1.91 - 8.89 m/min)	
	GMAW Pulse	Pulse		Argon	74	UltimArc®	75 - 350 ipm (1.91 - 8.89 m/min)	
				Argon	79		75 - 350 ipm (1.91 - 8.89 m/min)	
GMAW Pulse	Pulse on Pulse*		Argon	100	Frequency	80 - 400 ipm (2.03 - 10.16 m/min)		
			Argon	394		100 - 400 ipm (2.54 - 10.16 m/min)		
GMAW AC Pulse	AC Pulse (§)		Argon	394	UltimArc®	100 - 400 ipm (2.54 - 10.16 m/min)		
			Argon	394		100 - 400 ipm (2.54 - 10.16 m/min)		

§ Advanced Module Required

‡ STT® or Advanced Module Required

Δ Tandem Controller Required

* Range is limited by power source rating, module rating, or feeder configuration

GMAW	Aluminum (AlMg)	Size	Procedure		Gas Type	Mode #	Arc Control	Max. Range (*)	
			Waveform	Waveform					
	1.0 mm	GMAW CV	CV	Argon	151	Pinch	175 - 750 ipm	(4.45 - 19.05 m/min)	
			Pulse	Argon	152	UltimArc®	125 - 700 ipm	(3.18 - 17.78 m/min)	
			CC Pulse	Argon	153	UltimArc®	125 - 700 ipm	(3.18 - 17.78 m/min)	
		GMAW Pulse on Pulse*	Pulse on Pulse*	Argon	101	Frequency	140 - 800 ipm	(3.56 - 20.32 m/min)	
			GMAW AC Pulse	AC Pulse (§)	Argon	397	UltimArc®	100 - 800 ipm	(2.54 - 20.32 m/min)
			GMAW CV	CV	Argon	75	Pinch	125 - 750 ipm	(3.18 - 19.05 m/min)
	1.2 mm	GMAW Pulse	Pulse	Argon	76	UltimArc®	85 - 700 ipm	(2.16 - 17.78 m/min)	
			CC Pulse	Argon	70	UltimArc®	85 - 700 ipm	(2.16 - 17.78 m/min)	
			GMAW Pulse on Pulse*	Pulse on Pulse*	Argon	102	Frequency	100 - 600 ipm	(2.54 - 15.24 m/min)
		GMAW AC Pulse	AC Pulse (§)	Argon	398	UltimArc®	85 - 600 ipm	(2.16 - 15.24 m/min)	
			GMAW CV	CV	Argon	77	Pinch	125 - 470 ipm	(3.18 - 11.94 m/min)
			GMAW Pulse	Pulse	Argon	78	UltimArc®	100 - 460 ipm	(2.54 - 11.68 m/min)
1.6 mm	GMAW Pulse	CC Pulse	Argon	80	UltimArc®	100 - 450 ipm	(2.54 - 11.43 m/min)		
		GMAW Pulse on Pulse*	Pulse on Pulse*	Argon	103	Frequency	75 - 350 ipm	(1.91 - 8.89 m/min)	
		GMAW AC Pulse	AC Pulse (§)	Argon	399	UltimArc®	100 - 400 ipm	(2.54 - 10.16 m/min)	

FCAW	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)	
	Flux Core								
	Flux Core	All	FCAW-S	Self Shield CV	NA	6	Pinch	10 - 45 V	
			FCAW-G	Gas Shield CV	NA	7	Pinch	10 - 45 V	
	Cored Wire	1.2 mm	FCAW-G	CV	CO ₂	90	Pinch	175 - 600 ipm	(4.45 - 15.24 m/min)
					Argon Mix	91		175 - 600 ipm	(4.45 - 15.24 m/min)
		1.4 mm	FCAW-G	CV	CO ₂	187	Pinch	150 - 500 ipm	(3.81 - 12.7 m/min)
					Argon Mix	188		150 - 500 ipm	(3.81 - 12.7 m/min)
		1.6 mm	FCAW-G	CV	CO ₂	189	Pinch	125 - 390 ipm	(3.18 - 9.91 m/min)
					Argon Mix	190		125 - 360 ipm	(3.18 - 9.14 m/min)

SMAW	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)
	NA							
	NA	NA	DCEP SMAW	SMAW Soft	NA	1	Arc Force, Hot Start	15 - 350 A
				SMAW Crisp	NA	2	Arc Force, Hot Start	15 - 350 A
				SMAW Pipe	NA	4	Arc Force	50 - 250 A
			DCEN SMAW	SMAW DC- (§)	NA	379	Arc Force, Hot Start	15 - 350 A
			AC SMAW	AC SMAW (§)	NA	374	Arc Force, Hot Start, Frequency	15 - 350 A

GTAW	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)	
	NA								
	NA	NA	DCEN GTAW	Touch Start TIG	Ar / He	3	Hot Start	5 - 350 A	
				Touch Start TIG Pulse	Ar / He	8	Frequency, Background, Hot Start	5 - 350 A	
				HF TIG (§)	Ar / He	375	Hot Start	5 - 350 A	
				HF TIG (§)	Ar / He	376	Frequency, Background, Hot Start	5 - 350 A	
				AC GTAW	Touch Start AC TIG (§)	Ar / He	377	AC Frequency, AC Balance, DC Offset, Hot Start	10 - 350 A
					HF Start AC TIG (§)	Ar / He	378	AC Frequency, AC Balance, DC Offset, Hot Start	10 - 350 A

CAG	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)
	NA							
	NA	NA	CAG	Arc Gouge	Compressed Air	9		60 - 350 A

GMAW-Tandem	Type	Size	Procedure	Waveform	Gas Type	Mode #	Arc Control	Max. Range (*)		
	Steel									
	1.0 mm	GMAW Tandem (Δ)	Sync Pulse Lead	Argon Mix	402	UltimArc®, Phase Angle	150 - 800 ipm	(3.81 - 20.32 m/min)		
			Sync Pulse Trail	Argon Mix	403	UltimArc®	150 - 800 ipm	(3.81 - 20.32 m/min)		
			HotWire Pulse Trail	Argon Mix	461		80 - 800 ipm	(2.03 - 20.32 m/min)		
			1.2 mm	GMAW Tandem (Δ)	Sync Pulse Lead	Argon Mix	404	UltimArc®, Phase Angle	100 - 655 ipm	(2.54 - 16.64 m/min)
					Sync Pulse Trail	Argon Mix	405	UltimArc®	100 - 655 ipm	(2.54 - 16.64 m/min)
					HotWire Pulse Trail	Argon Mix	462		75 - 610 ipm	(1.91 - 15.49 m/min)
	1.4 mm	GMAW Tandem (Δ)	Sync Pulse Lead	Argon Mix	406	UltimArc®, Phase Angle	100 - 455 ipm	(2.54 - 11.56 m/min)		
			Sync Pulse Trail	Argon Mix	407	UltimArc®	100 - 455 ipm	(2.54 - 11.56 m/min)		
			HotWire Pulse Trail	Argon Mix	463		50 - 445 ipm	(1.27 - 11.3 m/min)		